



"Y" Extensions [mm]	30	50	70	90
Measurement "E" [mm]	8	28	48	68

Site attendances:
 13 amp fused spur within a metre of the transom with wireways to the operator.
 Fire alarm contacts brought to the operator (pair of normally closed volt free contacts)
 If required Access Control contacts brought to the operator (pair of normally closed volt free contacts)
 We need to have the area barriered off (barriers by Prosale) whilst working on the door.
 If barriers are being mounted by us they we need a finished surface outside. If barriers are by others they must be fitted prior to our attendance.

CLIENT NAME & ADDRESS:

PROJECT NAME & ADDRESS:

COLOUR

PROSALE CONTRACT No.		DATE	
DRAWING NO.		REVISION	
SCALE		DRAWN BY	

THIRD ANGLE PROJECTION
 DO NOT SCALE
 ELEVATION VIEWED FROM OUTSIDE

COPYRIGHT - PROSALE LTD
 This drawing shall not be copied, reproduced or forwarded to a third party without permission from the Directors of Prosale Ltd

DRAWING STATUS
 FOR INFORMATION ONLY
 SIGNED ON BEHALF OF.....
 SIGNATURE.....
 DATE.....

Prosale Limited
 Unit 30Glenmore Centre
 Marconi Drive
 Quedgeley, Gloucestershire
 GL2 2AP.
 Tel: 0845 0945 636
 Fax: 0845 0945 626
 Email: info@prosaledoors.co